


Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.



# TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

14

Application Number

10/733,054

Filing Date

December 11, 2003

First Named Inventor

Gary T. Krajecki

Art Unit

2835

Examiner Name

Chang, Yean Hsi

Attorney Docket Number

4111-00300

## ENCLOSURES

(Check all that apply)

☐

Fee Transmittal Form

☐

Fee Attached

☐

Amendment/Reply

☐

After Final

☐

Affidavits/declaration(s)

☐

Extension of Time Request

☐

Express Abandonment Request

☐

Information Disclosure Statement

☐

Certified Copy of Priority Document(s)

☐Reply to Missing Parts/  
Incomplete Application☐Reply to Missing Parts  
under 37 CFR 1.52 or 1.53☐

Drawing(s)

☐

Licensing-related Papers

☒

Petition

☐Petition to Convert to a  
Provisional Application☐

Power of Attorney, Revocation

☐

Change of Correspondence Address

☐

Terminal Disclaimer

☐

Request for Refund

☐

CD, Number of CD(s) \_\_\_\_\_

☐

Landscape Table on CD

Remarks

☐

After Allowance Communication to TC

☐Appeal Communication to Board  
of Appeals and Interferences☐Appeal Communication to TC  
(Appeal Notice, Brief, Reply Brief)☐

Proprietary Information

☐

Status Letter

☒Other Enclosure(s) (please identify  
below):

- 1) Draft Certificate of Correction
- 2) Copy of Response filed 05/09/05
- 3) Acknowledgement Postcard

### Certificate

SEP 30 2005

### of Correction

## SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm Name

Conley Rose, P.C.

Signature

Printed name

Michael W. Piper

Date

September 22, 2005

Reg. No.

39,800

## CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:

Signature

Typed or printed name

Karen A. Harris


Date

September 26, 2005

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 5 2005



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,944,011 B2  
 Issued: September 13, 2005  
 For: ELECTRONIC DEVICE CABLE COVER

§  
 § Group Art Unit: 2835  
 §  
 § Examiner: Chang, Yean-Hsi  
 §  
 § Confirmation No.: 7843  
 §

Attention Certificate of Corrections Branch  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail, postage prepaid in an envelope addressed to: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

September 26, 2005  
 (Date of Deposit)  
Karen A. Harris  
 Karen A. Harris

## PETITION FOR CERTIFICATE OF CORRECTION

Commissioner:

Patentee hereby requests that a Certificate of Correction be issued pursuant to 37 C.F.R. §1.322 to correct the mistakes as set out in the attached draft certificate.

The mistakes to be corrected are minor and editorial in nature. A copy of the Response to Final Office Action mailed May 9, 2005 is enclosed for reference.

As these mistakes were made on the part of the U.S. Patent and Trademark Office, no fee is deemed required. However, should a fee be found necessary, please charge Deposit Account 50-1515, Conley Rose, for any required fees.

Respectfully submitted,

CONLEY ROSE, P.C.

Date: September 22, 2005

5700 Granite Parkway, Suite 330  
 Plano, Texas 75024-6616  
 (972) 731-2288  
 (972) 731-2289 (fax)

Michael W. Piper  
 Michael W. Piper  
 Reg. No. 39,800

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

**PATENT NO.** 6,944,011 B2  
**DATED:** September 13 2005  
**INVENTOR:** Gary T. Krajecki

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 3, Col. 8, line 65, replace "or" with -- of --.  
Claim 8, Col. 10, line 8, replace "bonding" with -- bending --.  
Claim 18, Col. 12, line 4, insert -- the -- after "behind".

MAILING ADDRESS OF SENDER:

Michael W. Piper  
CONLEY, ROSE, P.C.  
5700 Granite Parkway, Suite 330  
Plano, Texas 75024

PATENT NO. 6,944,011 B2

OCT 5 2005



## Auto-Reply Facsimile Transmission

DOCKETED  
*lm*  
5/10/05

TO: Fax Sender at 9727312289

Fax Information

Date Received:

Total Pages:

5/9/2005 5:44:20 PM [Eastern Daylight Time]

13 (including cover page)

**ADVISORY:** This is an automatically generated return receipt confirmation of the facsimile transmission received by the Office. Please check to make sure that the number of pages listed as received in Total Pages above matches what was intended to be sent. Applicants are advised to retain this receipt in the unlikely event that proof of this facsimile transmission is necessary. Applicants are also advised to use the certificate of facsimile transmission procedures set forth in 37 CFR 1.8(a) and (b), 37 CFR 1.6(f). Trademark Applicants, also see the Trademark Manual of Examining Procedure (TMPE) section 306 et seq.

Received  
Cover  
Page

=====>

May-09-2005 15:48	CONLEY & ROSE PC	9727312289	P.01
-------------------	------------------	------------	------

### FAX TRANSMITTAL COVER SHEET

CONLEY ROSE, P.C.  
5700 Granite Parkway, Suite 330  
Plano, Texas 75024-6616  
Telephone Number: (972) 731-2288  
Fax Number: (972) 731-2289

PLEASE DELIVER THE FOLLOWING PAGES IMMEDIATELY TO:

NAME:	Group Art Unit 2835 Examiner: Chang, Yean Hsi Commissioner for Patents
FAX:	(703) 872.9306
FROM:	Michael W. Piper (sent by Karen Harris)
DATE:	May 9, 2005
RE:	U.S. Patent Application Serial No. 10/733,054 Filing Date: December 11, 2003 Atty Docket 4111-00300 Response to Final Office Action mailed March 30, 2005 (10 pages) Fee Transmittal (1 page) Transmittal Cover Sheet (1 page)

Total Number of Pages (Including Cover Page): 13

IF YOU DO NOT RECEIVE ALL THE PAGES,  
PLEASE CALL IMMEDIATELY

This facsimile and the information it contains is intended to be a confidential communication only to the person or entity to whom it is addressed. If you have received this facsimile in error, please notify us by telephone at the above telephone number and return the original to this office by mail.

PAGE 1/13 RECEIVED AT: 5/9/2005 5:44:20 PM [Eastern Daylight Time] SYD:USPTO-EP-COF-01 \* DMS:272520 \* CRO:9727312289 \* DUPLICATION [00-55303-4]

OCT 5 2005

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Gary T. Krajecki

Serial No.: 10/733,054

Filed: December 11, 2003

For: ELECTRONIC DEVICE CABLE COVER

§  
§  
§  
§  
§  
§  
§  
§

Group Art Unit: 2835

Examiner: Chang, Yean Hsi

Confirmation No.: 7843

Mail Stop AF  
Commissioner For Patents  
PO Box 1450  
Alexandria VA 22313-1450

I hereby certify that this correspondence is being  
transmitted by facsimile to 703.872.9306 addressed to:  
Mail Stop AF, Commissioner for Patents, Alexandria VA  
22313-1450 on

May 9, 2005  
Date of Transmission  
Karen A. Harris  
Karen A. Harris

## RESPONSE TO FINAL OFFICE ACTION

Sir:

In response to the Final Office Action dated March 30, 2005, Applicant respectfully requests the following amendments to the above-identified application as follows. The changes made are shown by underlining the added text and striking through the deleted text.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 2 of this paper.

**Remarks/Arguments** begin on page 9 of this paper.

*Listing of Claims:*

1. (Cancelled)
2. (Currently amended) The apparatus according to Claim ~~1~~ 21, wherein the cover back opening has a height and width about equal to the height and width, respectively, of the electronic device back surface.
3. (Currently amended) ~~The~~ An apparatus for forming a chamber enclosed on five sides adjacent a back surface of an electronic device, the back surface having a height and width and having connections for cables, comprising: according to Claim 2,  
a cover having a horizontal top and having vertical sides extending down from the top, the top and sides having front and back edges defining opposed front and back openings of the cover, the front opening having a height and width about equal to the height and width, respectively, of the electronic device back surface;  
whereby when the electronic device is supported on a horizontal surface and the cover is positioned on and supported by the horizontal surface adjacent the electronic device back surface, the cover defines a chamber enclosed on the top and sides by at least part of the cover, enclosed on the front by the electronic device back surface and enclosed on the bottom at least in part by the horizontal surface;

wherein the cover back opening has a height and width about equal to the height and width, respectively, of the electronic device back surface; and

wherein the cover front and back openings have a height and width selected to telescopically slide over the back surface of the electronic device.

4. (Currently amended) The apparatus according to Claim ~~1~~ 21, wherein the cover back opening has a height about equal to the height of the electronic device back surface and has a width less than the width of the electronic device back surface.

5. (Previously Presented) The apparatus according to Claim 3, wherein when the electronic device is supported on a horizontal surface and the cover is positioned on the horizontal surface with a first portion of the cover telescopically positioned over the device and a second portion of the cover adjacent the electronic device back surface, the second portion of the cover defines a chamber enclosed on the top and sides by the second portion of the cover, enclosed on the front by the electronic device back surface and enclosed on the bottom at least in part by the horizontal surface.

6. (Currently amended) ~~The~~ An apparatus for forming a chamber enclosed on five sides adjacent a back surface of an electronic device, the back surface having a height and width and having connections for cables, comprising: according to Claim 1,

a cover having a horizontal top and having vertical sides extending down from the top, the top and sides having front and back edges defining opposed front and back openings of the cover, the front opening having a height and width

about equal to the height and width, respectively, of the electronic device back surface;

whereby when the electronic device is supported on a horizontal surface and the cover is positioned on and supported by the horizontal surface adjacent the electronic device back surface, the cover defines a chamber enclosed on the top and sides by at least part of the cover, enclosed on the front by the electronic device back surface and enclosed on the bottom at least in part by the horizontal surface; and

further comprising horizontal flanges extending from lower edges of the cover sides, said flanges enclosing a portion of the bottom of the chamber.

7. (Previously Presented) An apparatus adapted for use with an electronic device having a width and a height, comprising:

a one piece cable cover having a horizontal top having a depth and a width, the width being about equal to the width of an electronic device, and having vertical sides extending down from the top and having a depth and height, the depth being about equal to the depth of the top and the height being about equal to the height of the electronic device;

whereby when the cable cover is positioned adjacent an electronic device and the electronic device and cable cover are supported on the same generally flat surface, the cable cover encloses at least three sides of a rectangular space closed on five sides and a back surface of the electronic device encloses one side of the rectangular space.



8. (Previously Presented) The apparatus according to Claim 7, wherein the cable cover comprises a single sheet of material comprising metal formed by bending.
9. (Original) The apparatus according to Claim 7, wherein the sides have upper and lower edges, the upper edge extending from the top, further comprising:  
horizontal flanges extending from the lower edges of the sides.
10. (Cancelled)
11. (Cancelled)
12. (Previously Presented) An electronic device, comprising:  
a generally rectangular device housing having a top, bottom, front, back and two sides,  
and having connections for cables on the back,  
a one piece cable cover having a horizontal top having a depth and a width, the width being at least as great as the width of the top of the electronic device, and having vertical sides extending down from the top and having a height, the height being at least as great as the height of the electronic device, the cable cover operable to slide over the top and sides of the device housing and extendable from the back of the device housing to define a least three sides of a chamber behind the device where the back of the device housing defines a fourth side of the chamber.

13. (Original) The electronic device according to Claim 12, wherein the cable cover sides have upper and lower edges, the upper edge extending from the top, further comprising:

horizontal flanges extending from the lower edges of the sides under the bottom of the device housing.

14. (Original) The electronic device according to Claim 13, wherein the horizontal flanges have a first edge extending from the lower edges of the sides and a second edge opposite the first edge, further comprising:

vertical flanges extending upward from the second edges, and  
grooves in the bottom of the bottom of the device housing, the vertical flanges slidably engaging the grooves.

15. (Previously Presented) A method for covering cables connected to an electronic device, comprising:

manually bending a sheet of material into a cover having a horizontal top surface having a width about equal to the width of an electronic device, and having two vertical sides extending downward from the top surface, the sides having a height about equal to the height of the electronic device;

positioning the electronic device and the cover on a horizontal surface, with the cover positioned adjacent a back surface of the electronic device such that the cover defines at least three sides of a chamber behind the electronic device and the back surface of the electronic device defines a fourth side of the chamber.

16. (Previously Presented) The method of Claim 15 wherein the material comprises a metal.

17. (Previously Presented) The method of Claim 15 wherein the sheet of material is transported to the location of the electronic device before bending.

18. (Previously Presented) The method of Claim 15 wherein the cover is formed to have internal dimensions mating with external dimensions of the electronic device,

the cover is slidably attached to the electronic device before the electronic device is transported to a customer premises, and  
the cover is positioned adjacent the electronic device by at least partially sliding the cover from the electronic device.

19. (Previously Presented) A method for covering cables connected to an electronic device, comprising:

manually bending a sheet of material into a cover having a cross sectional shape corresponding to the back surface of an electronic device and having a length dimension sufficient to cover wires and cables connected to the back of the electronic device, and  
positioning the electronic device and the cover on a horizontal surface, with the cover positioned adjacent a back surface of the electronic device such that the cover defines at least three sides of a chamber behind the electronic device and the back surface of the electronic device defines a fourth side of the chamber.

20. (Previously Presented) The method of Claim 19, wherein the material comprises a metal.

21. (Currently amended) ~~The~~ An apparatus for forming a chamber enclosed on five sides adjacent a back surface of an electronic device, the back surface having a height and width and having connections for cables, comprising: according to claim 1,

a cover having a horizontal top and having vertical sides extending down from the top, the top and sides having front and back edges defining opposed front and back openings of the cover, the front opening having a height and width about equal to the height and width, respectively, of the electronic device back surface;

whereby when the electronic device is supported on a horizontal surface and the cover is positioned on and supported by the horizontal surface adjacent the electronic device back surface, the cover defines a chamber enclosed on the top and sides by at least part of the cover, enclosed on the front by the electronic device back surface and enclosed on the bottom at least in part by the horizontal surface; and

wherein the cover is not structurally attached to the electronic device.

22. (Previously Presented) The apparatus according to claim 7, wherein the cover is not structurally attached to the electronic device.

**REMARKS**

The following remarks are filed in response to the final office action dated March 30, 2005 in the above-referenced patent application.

At the time of the final office action dated March 30, 2005 claims 1-9, and 12-22 were pending in the application. In the final office action, claims 7-9, 12-20 and 22 were allowed, claims 1, 2 and 4 were rejected, and claims 3, 5, 6, and 21 were objected to as being dependent from a rejected base claim, but indicated to be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

By the present amendment, claim 1 has been cancelled and claims 2-4, 6 and 21 have been amended. Reconsideration of the claims 2-9 and 12-22, as amended, is requested.

Claims 3, 6 and 21 have each been amended to be independent claims including all limitations of their original base claim and any intervening claims. Claims 3, 6, and 21 should therefore be allowable as indicated by the Examiner.

Claim 5 depends from claim 3 and therefore should be allowable as a dependent claim.

Claims 2 and 4 have been amended to depend from claim 21 and should therefore be allowable since they now depend from an allowable claim.

In view of the present amendment, the Applicant submits that claims 2-9 and 12-22, as amended, are allowable and requests that a notice of allowance be issued.

The Commissioner is hereby authorized to charge payment of any further fees associated with any of the foregoing papers submitted herewith, or to credit any overpayment thereof, to Deposit Account No. 50-1515, Conley Rose, P.C.


Applicant respectfully submits that the present application as amended is in condition for allowance. If the Examiner has any questions or comments or otherwise feels it would be helpful in expediting the application, he is encouraged to telephone the undersigned at (972) 731-2288.

Respectfully submitted,

CONLEY ROSE, P.C.

Date: May 9, 2005

5700 Granite Parkway, Suite 330  
Dallas, Texas 75024  
Telephone: (972) 731-2288  
Facsimile: (972) 731-2289



Michael W. Piper  
Reg. No. 39,800

ATTORNEY FOR APPLICANT